

| OD SIZE | FEET | OD | WALL | FT. WT. | TYPE | GRADE | MFG | COATING | ORIGIN |
|----------------|--------|--------|-------|---------|---------|-------|------|---------|--------|
| 1-1/4" | 651.0 | 1.250 | 0.140 | 1.66 | NEW | A53B | SS | BARE | IMP |
| 1-1/2" | 483.0 | 1.500 | 0.145 | 2.10 | NEW | A53A | SMLS | BARE | IMP |
| 2-3/8" | 2373.0 | 2.375 | 0.154 | 3.66 | USED | LMS | SMLS | BARE | IMP |
| 2-7/8" | 802.9 | 2.875 | 0.188 | 5.40 | SURPLUS | LMS | SMLS | BARE | IMP |
| 3-1/2" | 1326.6 | 3.500 | 0.216 | 7.58 | NEW | X-52 | SMLS | BARE | IMP |
| 4-1/2" | 170.0 | 4.500 | 0.219 | 10.02 | NEW | LMS | SS | BARE | DOM |
| | 2476.5 | 4.500 | 0.237 | 10.80 | USED | LMS | SS | BARE | DOM |
| | 1389.7 | 4.500 | 0.438 | 19.02 | NEW | LMS | SS | 3LPP | DOM |
| 5-9/16" | 553.5 | 5.562 | 0.258 | 14.63 | SURPLUS | LMS | SMLS | BARE | IMP |
| 6-5/8" | 432.1 | 6.625 | 0.219 | 15.00 | NEW | LMS | SS | PRITEC | DOM |
| | 687.0 | 6.625 | 0.280 | 18.99 | NEW | A53B | SS | BARE | M&M |
| | 194.4 | 6.625 | 0.280 | 18.99 | NEW | LMS | SS | BARE | DOM |
| | 1657.8 | 6.625 | 0.375 | 25.05 | NEW | X42 | SS | BARE | IMP |
| | 80.3 | 6.625 | 0.432 | 28.60 | NEW | LMS | SS | PRITEC | DOM |
| | 80.6 | 6.625 | 0.432 | 28.60 | NEW | A53B | SS | BARE | IMP |
| 7" | 163.7 | 7.000 | 0.540 | 37.29 | NEW | LMS | SMLS | BARE | IMP |
| | 116.9 | 7.000 | 0.562 | 38.68 | NEW | LMS | SMLS | BARE | DOM |
| 8-5/8" | 1651.3 | 8.625 | 0.188 | 16.96 | NEW | LMS | SS | BARE | DOM |
| | 112.6 | 8.625 | 0.188 | 16.96 | NEW | LMS | SS | 3LPP | DOM |
| | 170.9 | 8.625 | 0.219 | 19.68 | NEW | LMS | SS | PRITEC | DOM |
| | 450.1 | 8.625 | 0.219 | 19.68 | NEW | LMS | SS | BARE | DOM |
| | 696.4 | 8.625 | 0.250 | 22.38 | NEW | LMS | SS | PRITEC | DOM |
| | 1783.7 | 8.625 | 0.322 | 28.58 | NEW | A252 | SS | BARE | DOM |
| | 126.0 | 8.625 | 0.322 | 28.58 | NEW | A53B | SS | BARE | IMP |
| | 80.5 | 8.625 | 0.719 | 60.77 | NEW | LMS | SS | FBE | DOM |
| 10-3/4" | 104.7 | 10.750 | 0.188 | 21.23 | NEW | LMS | SS | BARE | DOM |
| | 388.4 | 10.750 | 0.219 | 24.65 | NEW | LMS | SS | BARE | DOM |
| | 160.0 | 10.750 | 0.250 | 28.06 | USED | LMS | SS | BARE | IMP |
| | 298.5 | 10.750 | 0.250 | 28.06 | NEW | LMS | SS | PRITEC | DOM |
| | 1184.0 | 10.750 | 0.250 | 28.06 | NEW | LMS | SS | 3LPP | DOM |
| | 283.2 | 10.750 | 0.250 | 28.06 | NEW | LMS | SS | BARE | DOM |
| | 843.7 | 10.750 | 0.307 | 34.27 | NEW | LMS | SS | 3LPP | DOM |
| | 634.3 | 10.750 | 0.307 | 34.27 | NEW | LMS | SS | BARE | DOM |
| | 2665.8 | 10.750 | 0.365 | 40.52 | NEW | LMS | SS | 3LPP | DOM |
| | 443.8 | 10.750 | 0.365 | 40.52 | NEW | LMS | SS | PRITEC | DOM |
| | 132.4 | 10.750 | 0.365 | 40.52 | NEW | LMS | SS | BARE | IMP |

| OD SIZE | FEET | OD | WALL | FT. WT. | TYPE | GRADE | MFG | COATING | ORIGIN |
|---------|--------|--------|-------|---------|---------|-------|------|---------|--------|
| | 393.7 | 10.750 | 0.365 | 40.52 | NEW | A252 | SS | BARE | DOM |
| | 947.8 | 10.750 | 0.365 | 40.52 | NEW | A252 | SS | BARE | DOM |
| | 580.6 | 10.750 | 0.365 | 40.52 | NEW | A53B | SS | BARE | IMP |
| | 338.9 | 10.750 | 0.500 | 54.79 | NEW | X-52 | SMLS | FBE | IMP |
| 12-3/4" | 177.7 | 12.750 | 0.219 | 29.34 | NEW | X-52 | SS | FBE | DOM |
| | 4262.4 | 12.750 | 0.219 | 29.34 | USED | LMS | SS | BARE | DOM |
| | 858.3 | 12.750 | 0.219 | 29.34 | USED | LMS | SS | BARE | DOM |
| | 846.7 | 12.750 | 0.250 | 33.41 | NEW | A252 | SS | BARE | DOM |
| | 853.6 | 12.750 | 0.250 | 33.41 | NEW | LMS | SS | BARE | DOM |
| | 87.6 | 12.750 | 0.281 | 37.46 | NEW | LMS | SS | FBE | DOM |
| | 75.2 | 12.750 | 0.281 | 37.46 | NEW | LMS | SS | FBE | DOM |
| | 72.1 | 12.750 | 0.281 | 37.46 | NEW | A252 | SS | BARE | DOM |
| | 160.8 | 12.750 | 0.281 | 37.46 | NEW | LMS | SS | BARE | DOM |
| | 95.2 | 12.750 | 0.281 | 37.46 | NEW | LMS | SS | BARE | DOM |
| | 233.8 | 12.750 | 0.281 | 37.46 | NEW | A252 | SS | BARE | DOM |
| | 500.1 | 12.750 | 0.281 | 37.46 | NEW | LMS | SS | BARE | DOM |
| | 912.1 | 12.750 | 0.312 | 41.48 | NEW | A252 | SS | BARE | DOM |
| | 311.9 | 12.750 | 0.312 | 41.48 | NEW | LMS | SS | BARE | DOM |
| | 281.3 | 12.750 | 0.312 | 41.48 | NEW | LMS | SS | FBE | IMP |
| | 701.2 | 12.750 | 0.312 | 41.48 | NEW | LMS | SS | FBE | DOM |
| | 257.2 | 12.750 | 0.312 | 41.48 | NEW | LMS | SS | FBE | DOM |
| | 7230.2 | 12.750 | 0.312 | 41.48 | NEW | LMS | SS | BARE | DOM |
| | 591.6 | 12.750 | 0.330 | 43.81 | NEW | LMS | SS | BARE | DOM |
| | 627.8 | 12.750 | 0.375 | 49.61 | NEW | A252 | SS | BARE | DOM |
| | 380.5 | 12.750 | 0.375 | 49.61 | SURPLUS | A53B | SS | BARE | IMP |
| | 161.7 | 12.750 | 0.500 | 65.48 | NEW | LMS | SS | 3LPP | DOM |
| | 458.0 | 12.750 | 0.500 | 65.48 | NEW | LMS | SS | BARE | DOM |
| | 160.0 | 12.750 | 0.562 | 73.22 | NEW | X-52 | SS | BARE | DOM |
| | 487.2 | 12.750 | 1.312 | 160.42 | SURPLUS | LMS | SS | BARE | DOM |
| | 224.3 | 12.750 | 1.312 | 160.42 | SURPLUS | LMS | SS | FBE | DOM |
| 14" | 420.1 | 14.000 | 0.219 | 32.26 | NEW | LMS | SS | BARE | DOM |
| | 120.6 | 14.000 | 0.250 | 36.75 | NEW | A53B | SS | BARE | IMP |
| | 970.0 | 14.000 | 0.375 | 54.62 | NEW | X-52 | SS | FBE | DOM |
| | 960.2 | 14.000 | 0.375 | 54.62 | NEW | A53B | SS | BARE | IMP |
| | 441.0 | 14.000 | 0.750 | 106.23 | NEW | A53B | SMLS | BARE | IMP |
| | 81.2 | 16.000 | 0.219 | 36.95 | NEW | A252 | SS | BARE | DOM |

| OD SIZE | FEET | OD | WALL | FT. WT. | TYPE | GRADE | MFG | COATING | ORIGIN |
|---------|--------|--------|-------|---------|---------|-------|-----|---------|--------|
| 16" | 40.4 | 16.000 | 0.219 | 36.95 | NEW | LMS | SS | BARE | DOM |
| | 73.9 | 16.000 | 0.219 | 36.95 | NEW | LMS | SS | FBE | DOM |
| | 69.7 | 16.000 | 0.250 | 42.09 | NEW | LMS | SS | BARE | DOM |
| | 78.9 | 16.000 | 0.250 | 42.09 | USED | LMS | SS | BARE | DOM |
| | 47.1 | 16.000 | 0.281 | 47.22 | NEW | LMS | SS | BARE | DOM |
| | 68.4 | 16.000 | 0.281 | 47.22 | NEW | A252 | SS | BARE | DOM |
| | 349.8 | 16.000 | 0.312 | 52.32 | NEW | A252 | SS | BARE | DOM |
| | 89.5 | 16.000 | 0.344 | 57.57 | NEW | LMS | SS | BARE | DOM |
| | 370.2 | 16.000 | 0.375 | 62.64 | NEW | A53B | SS | BARE | IMP |
| | 73.0 | 16.000 | 0.375 | 62.64 | NEW | LMS | SS | BARE | DOM |
| | 480.9 | 16.000 | 0.375 | 62.64 | NEW | A252 | SS | BARE | DOM |
| | 173.1 | 16.000 | 0.500 | 82.85 | NEW | A252 | SS | BARE | DOM |
| | 153.7 | 16.000 | 0.500 | 82.85 | NEW | LMS | SS | PRITEC | DOM |
| | 238.1 | 16.000 | 0.500 | 82.85 | NEW | X-52 | SS | PRITEC | IMP |
| | 80.0 | 16.000 | 0.656 | 107.60 | NEW | X-52 | SS | BARE | IMP |
| 18" | 49.1 | 18.000 | 0.250 | 47.44 | NEW | A53B | SS | BARE | DOM |
| | 240.0 | 18.000 | 0.250 | 47.44 | NEW | A53B | SS | YGIII | DOM |
| | 160.0 | 18.000 | 0.312 | 58.99 | NEW | C200 | SW | BARE | M&M |
| | 120.6 | 18.000 | 0.312 | 58.99 | SURPLUS | X-60 | SS | BARE | DOM |
| | 66.6 | 18.000 | 0.312 | 58.99 | SURPLUS | LMS | SS | FBE | IMP |
| | 120.0 | 18.000 | 0.500 | 93.54 | NEW | A53B | SS | BARE | IMP |
| | 1853.9 | 18.000 | 0.500 | 93.54 | USED | A53B | SS | BARE | DOM |
| | 1499.5 | 18.000 | 0.605 | 112.50 | NEW | A252 | SS | BARE | M&M |
| | 201.0 | 18.000 | 0.750 | 138.30 | NEW | X-52 | SS | BARE | IMP |
| 20" | 78.9 | 20.000 | 0.250 | 52.78 | USED | LMS | SS | BARE | DOM |
| | 120.0 | 20.000 | 0.281 | 59.23 | NEW | A252 | SS | BARE | DOM |
| | 510.3 | 20.000 | 0.300 | 63.18 | NEW | LMS | SS | BARE | DOM |
| | 3850.9 | 20.000 | 0.312 | 65.66 | NEW | A252 | SS | BARE | DOM |
| | 201.7 | 20.000 | 0.317 | 66.70 | NEW | LMS | SS | BARE | DOM |
| | 1277.7 | 20.000 | 0.344 | 72.28 | NEW | A252 | SS | BARE | DOM |
| | 482.7 | 20.000 | 0.344 | 72.28 | NEW | A252 | SS | BARE | DOM |
| | 1745.4 | 20.000 | 0.375 | 78.67 | NEW | LMS | SS | 3LPP | DOM |
| | 439.0 | 20.000 | 0.375 | 78.67 | NEW | LMS | SS | BARE | DOM |
| | 678.0 | 20.000 | 0.375 | 78.67 | SURPLUS | A53B | SS | BARE | IMP |
| | 405.4 | 20.000 | 0.375 | 78.67 | NEW | A252 | SS | BARE | M&M |
| | 1543.1 | 20.000 | 0.375 | 78.67 | NEW | A252 | SS | BARE | DOM |

| OD SIZE | FEET | OD | WALL | FT. WT. | TYPE | GRADE | MFG | COATING | ORIGIN |
|----------------|--------|--------|--------|---------|---------|-------|---------|---------|--------|
| | 184.1 | 20.000 | 0.406 | 85.04 | NEW | A252 | SS | BARE | M&M |
| | 393.2 | 20.000 | 0.413 | 86.48 | NEW | A252 | SS | BARE | DOM |
| | 1125.1 | 20.000 | 0.438 | 91.59 | NEW | A252 | SS | BARE | M&M |
| | 3065.1 | 20.000 | 0.469 | 97.92 | NEW | A252 | SS | BARE | DOM |
| | 1581.3 | 20.000 | 0.500 | 104.23 | NEW | A252 | SS | BARE | M&M |
| | 951.9 | 20.000 | 0.625 | 129.45 | NEW | A252 | SW | BARE | DOM |
| | 1049.6 | 20.000 | 0.750 | 154.34 | NEW | A252 | SS | BARE | DOM |
| | 1601.6 | 20.000 | 0.812 | 166.56 | SURPLUS | J55 | SS/SMLS | BARE | DOM |
| 22" | 5252.2 | 22.000 | 0.375 | 86.69 | NEW | X-46 | SW | BARE | IMP |
| 24" | 80.5 | 24.000 | 0.281 | 71.25 | NEW | X-70 | SS | BARE | M&M |
| | 914.8 | 24.000 | 0.344 | 86.99 | NEW | LMS | SS | 3LPP | DOM |
| | 80.0 | 24.000 | 0.344 | 86.99 | NEW | A252 | SS | BARE | M&M |
| | 487.0 | 24.000 | 0.375 | 94.71 | NEW | X-70 | SS | BARE | M&M |
| | 4266.9 | 24.000 | 0.375 | 94.71 | NEW | A252 | SS | BARE | DOM |
| | 304.0 | 24.000 | 0.500 | 125.61 | NEW | X-60 | SS | FBE/ARO | DOM |
| | 159.5 | 24.000 | 0.625 | 156.17 | NEW | A252 | SS | BARE | DOM |
| | 27.4 | 24.000 | 0.625 | 156.17 | NEW | A252 | SW | BARE | DOM |
| 44.1 | 24.000 | 0.688 | 171.45 | NEW | A252 | SS | BARE | DOM | |
| 25-3/4" | 59.2 | 25.750 | 0.140 | 38.33 | SURPLUS | LMS | SW | BARE | DOM |
| 26" | 71.8 | 26.000 | 0.250 | 68.82 | NEW | A252 | SS | BARE | IMP |
| | 86.0 | 26.000 | 0.375 | 102.72 | NEW | X-42 | SS | BARE | IMP |
| | 54.1 | 26.000 | 0.928 | 248.72 | NEW | LMS | SW | BARE | DOM |
| 28" | 328.1 | 28.000 | 0.750 | 218.48 | NEW | X-52 | SS | BARE | IMP |
| 30" | 1165.0 | 30.000 | 0.375 | 118.76 | NEW | X60 | SS | FBE | IMP |
| | 61.2 | 30.000 | 0.375 | 118.76 | NEW | A252 | SW | BARE | DOM |
| | 898.5 | 30.000 | 0.429 | 135.61 | SURPLUS | X-70 | SW | FBE | DOM |
| | 279.2 | 30.000 | 0.429 | 135.61 | NEW | A252 | SW | BARE | M&M |
| | 113.9 | 30.000 | 0.429 | 135.61 | NEW | LMS | SW | BARE | DOM |
| | 4221.2 | 30.000 | 0.441 | 139.35 | BARE | A252 | SW | BARE | DOM |
| | 110.0 | 30.000 | 0.500 | 157.68 | NEW | LMS | SW | BARE | IMP |
| | 1183.2 | 30.000 | 0.500 | 157.68 | SURPLUS | X-65 | SS | FBE | DOM |
| | 40.0 | 30.000 | 0.500 | 157.68 | NEW | X-52 | SS | BARE | IMP |
| | 219.9 | 30.000 | 0.510 | 160.78 | NEW | A252 | SW | BARE | M&M |
| | 66.7 | 30.000 | 0.564 | 177.47 | NEW | LMS | SW | BARE | DOM |
| | 268.7 | 30.000 | 0.618 | 194.11 | NEW | X60 | SW | BARE | DOM |
| | 478.9 | 30.000 | 0.625 | 196.26 | NEW | A252 | SW | BARE | DOM |
| 268.1 | 30.000 | 0.625 | 196.26 | NEW | X60 | SW | BARE | IMP | |

| OD SIZE | FEET | OD | WALL | FT. WT. | TYPE | GRADE | MFG | COATING | ORIGIN |
|----------------|--------|--------|--------|---------|---------|-------|------|---------|--------|
| 31-7/8" | 320.0 | 31.875 | 0.164 | 55.59 | SURPLUS | LMS | SW | BARE | DOM |
| | 1717.0 | 31.875 | 0.188 | 63.68 | SURPLUS | LMS | SW | BARE | DOM |
| | 420.0 | 31.875 | 0.250 | 84.52 | SURPLUS | LMS | SW | BARE | DOM |
| 34" | 163.1 | 34.000 | 0.465 | 166.70 | USED | #2 | SS | BARE | DOM |
| | 72.0 | 34.000 | 0.500 | 179.06 | SURPLUS | X-60 | SS | FBE | DOM |
| 36" | 23.9 | 36.000 | 0.250 | 95.54 | NEW | LMS | SS | BARE | DOM |
| | 80.0 | 36.000 | 0.250 | 95.54 | SURPLUS | LMS | RW | BARE | IMP |
| | 40.0 | 36.000 | 0.375 | 142.81 | USED | #3 | SS | BARE | DOM |
| | 26.7 | 36.000 | 0.438 | 166.51 | SURPLUS | LMS | SS | BARE | IMP |
| | 4501.4 | 36.000 | 0.465 | 176.64 | SURPLUS | X70 | SS | FBE | IMP |
| | 3166.1 | 36.000 | 0.465 | 176.64 | SURPLUS | X70 | SS | FBE | IMP |
| | 75.8 | 36.000 | 0.500 | 189.75 | SURPLUS | X-70 | SW | FBE | DOM |
| | 68.9 | 36.000 | 0.500 | 189.75 | SURPLUS | X-70 | SS | FBE | DOM |
| | 378.7 | 36.000 | 0.515 | 195.36 | NEW | X-70 | SW | FBE | DOM |
| | 140.0 | 36.000 | 0.515 | 195.36 | NEW | A252 | SW | BARE | DOM |
| | 110.0 | 36.000 | 0.515 | 195.36 | NEW | A252 | SW | BARE | M&M |
| | 29.9 | 36.000 | 0.515 | 195.36 | NEW | X70 | SS | FBE | DOM |
| | 21.2 | 36.000 | 0.519 | 196.85 | NEW | LMS | SS | FBE | DOM |
| | 988.9 | 36.000 | 0.529 | 200.59 | NEW | A252 | SW | BARE | DOM |
| | 47.0 | 36.000 | 0.529 | 200.59 | NEW | A252 | SS | BARE | DOM |
| | 2370.1 | 36.000 | 0.625 | 236.35 | NEW | A252 | SW | BARE | DOM |
| | 118.7 | 36.000 | 0.625 | 236.35 | SURPLUS | X-65 | SS | FBE | DOM |
| | 100.3 | 36.000 | 0.688 | 259.71 | NEW | A252 | SW | BARE | DOM |
| | 162.4 | 36.000 | 0.750 | 282.62 | NEW | A252 | SW | BARE | DOM |
| | 658.7 | 36.000 | 0.752 | 283.35 | NEW | A252 | SS | FBE | DOM |
| 19.4 | 36.000 | 0.875 | 328.55 | NEW | A252 | SS | BARE | DOM | |
| 28.7 | 36.000 | 1.000 | 374.15 | NEW | A252 | SS | BARE | DOM | |
| 37-7/8" | 39.9 | 37.875 | 0.188 | 75.74 | NEW | A252 | SW | BARE | DOM |
| | 40.0 | 37.875 | 0.260 | 104.55 | NEW | A252 | SW | BARE | DOM |
| | 60.0 | 37.875 | 0.288 | 115.72 | NEW | A252 | SW | BARE | DOM |
| 40-7/8" | 30.0 | 40.875 | 0.250 | 108.57 | SURPLUS | LMS | SW | BARE | DOM |
| 42" | 320.0 | 42.000 | 0.250 | 111.58 | SURPLUS | LMS | RW | BARE | DOM |
| | 334.0 | 42.000 | 0.500 | 221.82 | NEW | A252 | SW | BARE | M&M |
| | 520.6 | 42.000 | 0.500 | 221.82 | NEW | A53 | SS | BARE | IMP |
| | 90.0 | 42.000 | 0.555 | 245.89 | SURPLUS | X-70 | SW | FBE | IMP |
| | 20.0 | 42.000 | 0.625 | 276.44 | NEW | A252 | SS | BARE | IMP |

| OD SIZE | FEET | OD | WALL | FT. WT. | TYPE | GRADE | MFG | COATING | ORIGIN |
|----------------|-------|---------|-------|---------|---------|-------|-----|---------|--------|
| | 246.5 | 42.000 | 0.750 | 330.72 | NEW | A252 | SS | BARE | DOM |
| | 110.9 | 42.000 | 0.750 | 330.72 | USED | LMS | SW | BARE | DOM |
| 42-1/8" | 25.3 | 42.125 | 0.375 | 167.37 | SURPLUS | LMS | SW | BARE | DOM |
| 43-7/8" | 20.0 | 43.875 | 0.250 | 116.59 | SURPLUS | LMS | SW | BARE | DOM |
| 44" | 73.0 | 44.000 | 0.188 | 88.05 | SURPLUS | LMS | SW | BARE | DOM |
| | 20.0 | 44.000 | 0.250 | 116.92 | SURPLUS | LMS | SW | BARE | DOM |
| | 160.0 | 44.000 | 0.312 | 145.71 | SURPLUS | LMS | SW | BARE | IMP |
| | 14.0 | 44.000 | 0.375 | 174.88 | SURPLUS | LMS | SW | BARE | IMP |
| 44-1/4" | 96.3 | 44.250 | 0.250 | 117.59 | NEW | A252 | SW | BARE | DOM |
| | 70.0 | 44.250 | 0.375 | 175.88 | NEW | LMS | SW | BARE | DOM |
| 48" | 297.2 | 48.000 | 0.375 | 190.92 | NEW | LMS | SS | BARE | IMP |
| | 20.0 | 48.000 | 0.375 | 190.92 | SURPLUS | LMS | RW | BARE | DOM |
| | 400.0 | 48.000 | 0.500 | 253.89 | NEW | A252 | SW | BARE | M&M |
| | 18.7 | 48.000 | 0.750 | 378.83 | NEW | LMS | SW | BARE | DOM |
| | 37.2 | 48.000 | 1.000 | 502.43 | NEW | A252 | SW | BARE | DOM |
| | 442.1 | 48.000 | 1.000 | 502.43 | NEW | A253 | RW | BARE | DOM |
| 50" | 32.0 | 50.000 | 0.250 | 132.96 | SURPLUS | LMS | SW | BARE | DOM |
| 50-1/2" | 32.0 | 50.500 | 0.500 | 267.25 | NEW | LMS | SW | BARE | DOM |
| 56-1/2" | 20.4 | 56.500 | 0.679 | 405.18 | SURPLUS | LMS | RW | BARE | DOM |
| | 50.8 | 56.500 | 0.679 | 405.18 | SURPLUS | LMS | SW | BARE | DOM |
| 60" | 54.1 | 60.000 | 0.500 | 318.03 | NEW | A252 | SW | BARE | M&M |
| 79" | 776.0 | 79.000 | 0.500 | 419.58 | NEW | LMS | SW | BARE | DOM |
| 132" | 951.2 | 132.000 | 0.750 | 1052.30 | NEW | LMS | SW | FBE | IMP |