

RBji

INVENTORY - CARBON STEEL PIPE AUGUST 2020

OD SIZE	FEET	OD	WALL	FT. WT.	LENGTH	TYPE	ORIGIN	DESCRIPTION
4"	920	4.000	0.109	4.53	40'	SS	IMP	USED BARE
4-1/2"	127	4.500	0.219	10.02	40'	SS	IMP	USED PIPE SS BARE
	603	4.500	0.237	10.80	40'	SS	IMP	USED PIPE BARE
6"	1,170	6.000	0.075	4.75	DRL	SS	IMP	USED BARE PIPE W/ 6-5/8" VIC
	20,670	6.000	0.105	6.62	40'	SS	IMP	USED BARE PIPE W/ 6-5/8" VIC
6-5/8"	326	6.625	0.280	18.99	21'	SS	IMP	A53 GR B BARE
	1,218	6.625	0.432	28.60	38' - 44'	SS	DOM	A252 GR 3 FBE
8"	35,915	8.000	0.075	6.35	40'	SS	IMP	USED BARE PIPE W/ 8-5/8" VIC
8-5/8"	2,937	8.625	0.322	28.58	40' - 45'	SS	DOM	A252 GR 3 BARE
10-3/4"	508	10.750	0.219	24.65	DRL	SS	DOM	LMS BARE
	634	10.750	0.307	34.27	40' - 50'	SS	DOM	LMS BARE
	555	10.750	0.365	40.52	20' - 30'	SS	DOM	A252 GR 3 BARE
	742	10.750	0.365	40.52	21' & 40'	SS	IMP	A53 GR B BARE
	380	10.750	0.500	54.79	DRL & TRL	SMLS	IMP	API 5L X-52 FBE
12-3/4"	4,000	12.750	0.219	29.34	40' - 60'	SS	DOM	LMS BARE
	716	12.750	0.250	33.41	37' - 40'	SS	DOM	A252 GR 3 BARE
	1,497	12.750	0.250	33.41	DRL	SS	DOM	LMS BARE
	662	12.750	0.250	33.41	DRL & TRL	SS	DOM	A252 GR 3 FBE
	2,281	12.750	0.281	37.46	20's & DRL	SS	DOM	LMS BARE
	8,158	12.750	0.281	37.46	37' - 40'	SS	DOM	A252 GR 3 BARE
	7,278	12.750	0.312	41.48	DRL	SS	DOM	LMS BARE
	757	12.750	0.312	41.48	44'	SS	DOM	A252 GR 3 BARE
	531	12.750	0.330	43.81	SRL & TRL	SS	DOM	LMS BARE
	392	12.750	0.500	65.48	30' - 35'	SS	DOM	LMS BARE
	729	12.750	0.625	81.01	75' - 80'	SS	IMP	API 5L X-60 FBE
1,350	12.750	0.625	81.01	DRL	SMLS	IMP	LMS BARE	
14"	380	14.000	0.219	32.26	30' - 41'	SS	DOM	LMS BARE
	1,100	14.000	0.375	54.62	54' - 60'	SS	DOM	API 5L X-52 FBE
	1,004	14.000	0.375	54.62	21' & 40'	SS	IMP	A53 GR B BARE
	441	14.000	0.750	106.23	21'	SS	IMP	A-53 GR B BARE
15-7/16"	6,800	15.438	0.134	21.92	40'	SW	IMP	USED SW BARE PIPE W/ 16" VIC
16"	660	16.000	0.250	42.09	60'	SS	DOM	A252 GR 3 BARE
	535	16.000	0.281	47.22	TRL	SS	DOM	A252 GR 3 BARE
	4,500	16.000	0.312	52.32	DRL & 60'	SS	DOM	A252 GR 3 BARE
	173	16.000	0.500	82.85	27' - 30'	SS	IMP	A252 GR 3 BARE
	698	16.000	1.219	192.61	31' - 33'	SMLS	DOM	A106 GR B BARE
18"	400	18.000	0.250	47.44	40'	SS	DOM	A-53 GR B YG III TAPE COATING
	886	18.000	0.375	70.65	SRL & 40'	SS	DOM	A-53 GR B BARE
	1,785	18.000	0.500	93.54	DRL	SS	IMP	USED A252 GR 3 BARE
	366	18.000	0.605	112.50	31' - 32'	SS	M&M	A252 GR 3 SS BARE M&M
	201	18.000	0.750	138.30	40'	SS	DOM	LMS BARE

OD SIZE	FEET	OD	WALL	FT. WT.	LENGTH	TYPE	ORIGIN	DESCRIPTION
20"	510	20.000	0.300	63.18	20'	SS	DOM	LMS BARE
	15,000	20.000	0.312	65.66	39' - 44'	SS	DOM/M&M	A252 GR 3 BARE
	200	20.000	0.317	66.70	40'	SS	IMP	LMS BARE
	2,351	20.000	0.344	72.28	DRL & TRL	SS	DOM	A252 GR 3 BARE
	222	20.000	0.344	72.28	42' - 47'	SS	DOM	LMS BARE
	431	20.000	0.375	78.67	20' - 32'	SS	DOM	LMS BARE
	678	20.000	0.375	78.67	21' & 40'	SS	IMP	A53 GR B BARE
	737	20.000	0.375	78.67	SRL & DRL	SS	M&M	A252 GR 3 BARE
	184	20.000	0.406	85.04	38' - 44'	SS	DOM	A252 GR 3 BARE
	393	20.000	0.413	86.48	38' - 50'	SS	DOM	A252 GR 3 BARE
	3,813	20.000	0.500	104.23	38' - 44'	SS	DOM	A252 GR 3 BARE
	524	20.000	0.500	104.23	DRL	SS	M&M	A252 GR 3 BARE
	1,800	20.000	0.812	166.56	DRL	SS/SMLS	DOM	J55 SURPLUS BARE
22"	10,000	22.000	0.281	65.24	DRL	SS	DOM	USED LMS BARE
	6,400	22.000	0.375	86.69	60'	SW	IMP	API 5L X-42 BARE
24"	2,000	24.000	0.353	89.23	20' & 60'	SS	DOM	A252 GR 3 BARE
	4,409	24.000	0.375	94.71	40' - 45'	SS	M&M	A252 GR 3 BARE
	8,000	24.000	0.375	94.71	35' - 40'	SS	DOM	A252 GR 3 BARE
	1,500	24.000	0.500	125.61	34' - 40'	SS	DOM	API 5L X-60 FBE
25-3/8"	59	25.375	0.125	33.74	20'	SW	DOM	SURPLUS BARE
26"	71	26.000	0.250	68.82	DRL	SW	DOM	A252 GR 3 BARE
	54	26.000	0.928	248.72	54'	SS	IMP	A252 GR 3 BARE
28"	320	28.000	0.750	218.48	40'	SS	IMP	API 5L X-52 BARE
30"	341	30.000	0.375	118.76	SRL & DRL	SS	DOM	USED BARE PIPE CQ
	1,700	30.000	0.375	118.76	SRL & DRL	SS	DOM	USED BARE PIPE GOOD #2
	380	30.000	0.375	118.76	SRL & DRL	SS	DOM	USED BARE PIPE GOOD #3
	4,600	30.000	0.375	118.76	65' - 71'	SW	DOM	A252 GR 3 BARE
	916	30.000	0.429	135.61	36' - 40'	SW	IMP	API 5L X-70 FBE
	240	30.000	0.429	135.61	40'	SW	M&M	A252 GR 3 BARE
	15,000	30.000	0.441	139.35	65' - 81'	SW	DOM	A252 GR 3 BARE
	1,183	30.000	0.500	157.68	36' - 39'	SS	DOM	API 5L X-65 FBE
	456	30.000	0.510	160.78	20' & DRL	SW	M&M	A252 GR 3 BARE
	268	30.000	0.618	194.11	25' - 28'	SW	DOM	API 5L X-60 BARE
	745	30.000	0.625	196.26	40' - 52'	SW	DOM	A252 GR 3 BARE
31-7/8"	280	31.875	0.164	55.59	20'	SW	DOM	SURPLUS BARE
	1,330	31.875	0.188	63.68	39'	SW	DOM	SURPLUS BARE
	440	31.875	0.250	84.52	20'	SW	DOM	SURPLUS BARE
36"	3,800	36.000	0.429	163.13	47' - 80'	SS	DOM	A252 GR 3 BARE
	7,900	36.000	0.465	176.64	71' - 81'	SS	IMP	API 5L X-70 FBE
	211	36.000	0.500	189.75	36' - 40'	SS	DOM	API 5L X-60 FBE
	3,097	36.000	0.515	195.36	TRL	SW	DOM	A252 GR 3 BARE
	500	36.000	0.519	196.85	40'	SS	IMP	API 5L X-70 FBE
	3,579	36.000	0.625	236.35	44' & 60'	SS	IMP	A252 GR 3 BARE
	230	36.000	0.750	282.62	DRL	SW	DOM	A252 GR 3 BARE

OD SIZE	FEET	OD	WALL	FT. WT.	LENGTH	TYPE	ORIGIN	DESCRIPTION
42"	970	42.000	0.555	245.89	20' - 40'	SW	IMP	API 5L X-70 FBE
	720	42.000	0.750	330.72	40'	SS	IMP	A252 GR 3 BARE
44"	70	44.000	0.188	88.05	DRL	SW	DOM	LMS BARE
	160	44.000	0.312	145.71	40'	SW	DOM	LMS BARE
44-1/4"	120	44.250	0.250	117.59	40'	SW	DOM	LMS BARE
	120	44.250	0.375	175.88	40'	SW	DOM	LMS BARE
48"	300	48.000	0.375	190.92	SRL & DRL	SS	IMP	LMS BARE
	310	48.000	0.500	253.89	40'	SW	M&M	A252 GR 3 BARE
	50	48.000	1.000	502.43	50'	SW	DOM	A252 GR 3 BARE
50-1/2"	40	50.500	0.500	267.25	40'	SW	DOM	LMS BARE
56-1/2"	90	56.500	0.679	405.18	30'	SW	DOM	LMS BARE
79"	840	79.000	0.500	419.58	20'	SW	DOM	LMS BARE
132"	1,500	132.000	0.750	1052.30	49'	SW	IMP	SURPLUS EPOXY COATED

FOB: HESPERIA, CA

RBji

PO BOX 5839
BLUE JAY, CA 92317